



ITExamWorld.com

The Top Certification Site **OVER 1000 EXAMS FROM ALL VENDORS**

- Verified Answers and Explanations
- Printable questions and answers
- Update per 15-20 Days
- Instant Download
- Security Multi Order
- 24*7 Support
- Pass on Your First Try Guarantee

interactive Exams
Self Exam Engine

Questions & Answers
With Explanations

Study Guides

Preparation Labs

Audio Exams

Exam Code: 642-591

Implementing Cisco NAC Appliance

Demo Version

To Access Full Version, Please go to

www.itexamworld.com

www.itexamworld.net

Question: 1

The NAS is configured to autogenerate an IP address pool of 30 subnets with a netmask of /30, beginning at address 192.166.10.0. Which IP address is leased to the end-user host on the second subnet?

- A - 192.166.10.4
- B - 192.166.10.5
- C - 192.166.10.6
- D - 192.166.10.7

Answer: C

Question: 2

Which default administrator group has delete permissions?

- A - admin
- B - help-desk
- C - add-edit
- D - full-control

Answer: D

Question: 3

What is the result when the condition statement in a Cisco NAA check for required software evaluates to false on a client machine?

- A - The required software is automatically downloaded to the user device.
- B - The required software is made available after the user is quarantined.
- C - The user is put in the unauthenticated role and the software is considered missing.
- D - The user is placed in the temporary role and the software is made available.

Answer: B

Question: 4

Which three components comprise a Cisco NAC Appliance solution? (Choose three.)

- A - a NAC-enabled Cisco router
- B - a Linux server for in-band or out-of-band network admission control
- C - a Linux server for centralized management of network admission servers
- D - a Cisco router to provide VPN services
- E - a read-only client operating on an endpoint device
- F - a NAC-enabled Cisco switch

Answer: B, C, E

Question: 5

Drag the default username from the left to the correct description on the right.


normal role	assigned to this role after vulnerabilities are found in a network scan
blocked role	assigned to this role when Cisco NAA end-user policy requirements are not met
authenticated role	assigned to this role after a successful login
quarantine role	
remediation role	
temporary role	

Answer:


normal role	quarantine role
blocked role	temporary role
authenticated role	normal role
quarantine role	
remediation role	
temporary role	

Question: 6

Drag each feature of a Cisco NAC Appliance solution from the left to its correct benefit on the right.



Answer:



Question: 7

When configuring the Cisco NAM to implement Cisco NAA requirement checking on client machines, what is the next step after configuring checks and rules?

- A - retrieve updates
- B - require the use of the Cisco NAA
- C - configure session timeout and traffic policies
- D - map rules to requirement
- E - configure requirements

Answer: E