



**ITExamWorld.com**

**The Top Certification Site OVER 1000 EXAMS FROM ALL VENDORS**

- Verified Answers and Explanations
- Printable questions and answers
- Update per 15-20 Days
- Instant Download
- Security Multi Order
- 24\*7 Support
- Pass on Your First Try Guarantee

**interactive Exams**  
Self Exam Engine

**Questions & Answers**  
With Explanations

**Study Guides**

**Preparation Labs**

**Audio Exams**

## **Demo Version**

To Access Full Version, Please go to

[www.itexamworld.com](http://www.itexamworld.com)

Require the latest demo questions, please email to [support@itexamworld.com](mailto:support@itexamworld.com)

*Every exam under \$1 USD, offer free update service for one year or lifetime*

**Exam : HP0-A16**

**Title : NonStop Himalaya Problem  
Management and  
Resolution**

**Version : DEMO**

**1.Which parameter follows the RDFCOM command for opening a specific RDF environment?**

- A.process name
- B.extractor name
- C.control subvolume name
- D.primary system node name

**Correct:C**

**2.When monitoring TMF in a production environment, what is critical to normal operations?**

- A.transaction rate
- B.audit trail usage
- C.disk usage information
- D.audit trail dump information

**Correct:B**

**3.Which tools are used by an operator to monitor processor load-balancing in real time? (Select two.)**

- A.GPA
- B.PEEK
- C.Measure
- D.Web ViewPoint
- E.VIEWSYS

**Correct:D E**

**4.Which command is used to determine if the cartridge loaded on \$TAPE0 is a 36-track cartridge?**

- A.TAPECOM STATUS \$TAPE0
- B.MEDIACOM INFO MEDIADEFS
- C.SCF INFO TAPE \$TAPE0, DETAIL
- D.SCF STATUS TAPE \$TAPE0, DETAIL

**Correct:D**

**5.What does the presence of a ZZSA file imply?**

- A.The process has failed.
- B.The SQL cursor has failed.
- C.The Pathway server has stopped.
- D.The TMF process was suspended.

**Correct:A**

**6.Which command is used to determine the MAC address of an ATM adapter?**

- A.SCF INFO SAC \$
- B.SCF INFO LINE \$
- C.SCF INFO SUBSYS \$ZZATM
- D.SCF INFO ADAPTER \$

**Correct:B**

**7.Which SCF STATUS command is used to determine the status of all ServerNet cluster-connected systems?**

- A.SUBNET \$ZZSCL
- B.SUBSYS \$ZZSCL
- C.PROCESS \$ZZSCL
- D.SERVERNET \$ZZSCL

**Correct:A**

**8.What does "DORMANT" state for a Spooler print process indicate?**

- A.This process is in an error state.
- B.No print process has been configured.
- C.This print process has not been started.
- D.There are no jobs to be printed on the device configured for this process.

**Correct:D**

**9.Which file must be modified to allow disk volume \$DATA1 to store OSS files?**

- A.zposfset
- B.zposserv
- C.zposparm
- D.Storage-pool

**Correct:D**

**10.Which utility is used to determine the state of an OSS subsystem process?**

- A.SCF
- B.OSH
- C.INSPECT
- D.SYSINFO

**Correct:A**

**11.There is a problem reported for a disk drive on a system that is not configured for dial-out. How do you determine if an alarm file has been created for this incident?**

- A.Search the alarm file in the directory of TSM client software.
- B.Search the alarm file in the \$SYSTEM.SYS subvolume.
- C.Search the scanstring file in the \$SYSTEM.ZTSM subvolume.
- D.Search the alarm file in the \$SYSTEM.ZSERVICE subvolume.


**Correct:D**

**12.Which wait condition is indicated in the Pathmon WAIT status LOCK?**

- A.Linkmon is waiting for a locked server.
- B.The server is waiting for a locked requester.
- C.Pathmon is waiting for the LINKMON to release a link.
- D.The request is waiting for a locked object.

**Correct:D**

**13.Click the Exhibit button. The attached NSKCOM output shows the swapfile for CPU 0 to be almost full. Which NSKCOM command is used to identify the process using the most swap space in this file?**



```
Status of $SWAP.KERSWAP.CPU0
CPU 0
CPU Pages: Total 16384 Reserved 15865 Available 519
Peak CPU Pages ever reserved 15956
Threshold 13926 CPU pages
```

- A.INFO SWAPFILE \*, CPU 0

- B.STATUS SWAPFILE \*, CPU 0
- C.STATUS SWAP-USAGE, CPU 0
- D.STATUS SWAPFILE \$vol.subvol.CPU0,detail

**Correct:C**

**14.How would you determine the preferred path between \node1 and \node2 in an EXPAND network?**

- A.SCF INFO PATH \$<EXPAND-PATH-NAME,DETAIL< br> B.SCF PROBE PROCESS \$NCP, AT \node1, TO \node2
- C.SCF INFO PROCESS \$NCP, NETMAP, AT \node1,TO \node2
- D.SCF STATS PROCESS \$NCP, NETFLOW, AT \node1,TO \node2

**Correct:C**

**15.Which single SCF command is used to get information for OSI/TS and its underlying subsystems?**

- A.STATUS SU
- B.CHECK SU
- C.STATUS LINE
- D.STATUS PROCESS

**Correct:B**

**16.Which utility reports doubly allocated file extents?**

- A.SCF
- B.SQLCI
- C.DSAP
- D.DCOM

**Correct:C**

**17.Which PATHCOM command helps to determine if the numstatic parameter for a Pathway server class should be increased?**

- A.SHOW SERVER
- B.DISPLAY SERVER
- C.STATUS SERVER
- D.STATS SERVER

**Correct:D**

**18.An EXPAND line reports an ERROR 124. Which SCF command gives additional information to determine the possible cause of the problem?**

- A.STATUS LINE \$
- B.STATUS LINE \$, DETAIL
- C.INFO PROCESS \$NCP, NETMAP
- D.INFO PROCESS \$NCP, LINESET

**Correct:B**

**19.Which utility is used to manage the OSS monitor?**

- A.SCF
- B.OSSMON
- C.MONMGR
- D.OSHCNFG

**Correct:A**

**20.What is the \$ZSMS process?**

- A.System Monitor
- B.Storage Manager
- C.Security Manager
- D.Safeguard Manager

**Correct:B**