



The Top Certification Site **OVER 1000 EXAMS FROM ALL VENDORS**

- Verified Answers and Explanations
- Printable questions and answers
- Update per 15-20 Days
- Instant Download
- Security Multi Order
- 24*7 Support
- Pass on Your First Try Guarantee

IT Exam World .com

interactive Exams
Self Exam Engine

Questions
& Answers
With Explanations

Study
Guides

Preparation
Labs

Audio
Exams

Exam : 50-654
Novell NetWare 5.1 Advanced Administration

Demo Version

To Access Full Version, Please go to

www.itexamworld.com

Question: 1

What is the maximum number of node addresses available on the IP Super net 215.100.16.0/21?

- A. 254
- B. 510
- C. 1022
- D. 2046
- E. 4094

Answer: D

Question: 2

What is the responsibility of the Application layer of the OSI model?

- A. Error control.
- B. Frame synchronization.
- C. Session administration.
- D. Provide network services.
- E. End-to-end delivery and session multiplexing.

Answer: D

Question: 3

Which layer of the OSI model is responsible for routing?

- A. Network
- B. Session
- C. Physical
- D. Transport
- E. Data link
- F. Application

Answer: A

Question: 4

A network administrator was assigned two class C network addresses despite needing a single network with 600 nodes. How might the administrator achieve a single, 600 node network?

- A. Route the networks.
- B. Bridge the networks.
- C. Subnet the networks.
- D. Super net the networks.

Answer: D

Question: 5

Which two IP address criteria are required for Super netting? (Choose two)

- A. Addresses must be consecutive.
- B. The address must be Class B.
- C. The subnet mask must contain at least 20 bits.
- D. The third octet of the first address must be evenly divisible by 2.
- E. The third octet of the first address must be evenly divisible by 23.

Answer: A, D

Question: 6

Which features are associated with link state routing? (Choose two)

- A. Counts hops.
- B. Converges quickly.
- C. Uses a cost metric.
- D. Requires very little configuration.
- E. Recalculates entire routing database before forwarding changes.

Answer: B, D

Question: 7

Which elements form an IPX address used for inter network communication? (Choose three)

- A. Subnet mask
- B. Node address
- C. Socket number
- D. Network address

Answer: B, C, D

Question: 8

Select the link state routing protocol. (Choose two)

- A. RIP
- B. LAT
- C. SNA
- D. NLSP
- E. RTMP
- F. OSPF

Answer: D, F

Question: 9

Identify the NDS user object created by default.

- A. Supervisor
- B. Container
- C. Admin
- D. Template

Answer: C

Question: 10

What are the mandatory property values for a user object?

- A. Login name, preferred server.
- B. Login name, last name.
- C. Login name, location.
- D. Login name, workstation type.

Answer: B